ELSEVIER

Toxicology 171 (2002) 223

TOXICOLOGY

www.elsevier.com/locate/toxicol

Author index of volume 171

Augustynek, A. **171**, 63

Baum, C. **171**, 187
Benz, A. **171**, 137
Bochenek, M. **171**, 63
Brambilla, G. **171**, 95
Brown, A.-D. **171**, 117
Bucci, G. **171**, 95

Carrozzino, R. **171**, 95
Chagnon, M.-C. **171**, 207
Chitra, K.C. **171**, 127
Clark, J.M. **171**, 3
Cuello, M.T. **171**, 215

de la M Hall, P. **171**, 161

Eidmann, P. **171**, 147
Emilsen, E. **171**, 201

Fishman, R.B. **171**, 117
Fodstad, O. **171**, 201
Fonseca, V. **171**, 117
Fundia, A.F. **171**, 215

Gelderblom, W.C.A. **171**, 161
Goldman, J.M. **171**, 83
González-Cid, M. **171**, 215

Habeebu, S.S.M. **171**, 105

Kauffmann, H.-M. **171**, 137
Kern, P.A. **171**, 117
Klaassen, C.D. **171**, 105

Laffon, B. **171**, 175
Laignelet, L. **171**, 207
Lamarino, G. **171**, 95
Larripa, I. **171**, 215
Latchoumycandane, C. **171**, 127
Lebepe-Mazur, S. **171**, 161
Lhuguenot, J.-C. **171**, 207
Lorico, A. **171**, 201

Marasas, W.F.O. **171**, 161
Martelli, A. **171**, 95
Mathur, P.P. **171**, 127
Mattioli, F. **171**, 95
Mazur, L. **171**, 63
Méndez, J. **171**, 175
Miyabara, Y. **171**, 73
Mohr, U. **171**, 147
Mullin, L.S. **171**, 3
Murr, A.S. **171**, 83

Nesland, J. **171**, 201
Nishimura, N. **171**, 73

Park, J.D. **171**, 105
Pásaro, E. **171**, 175
Pauluhn, J. **171**, 147
Pfannschmidt, S. **171**, 137
Pfüller, U. **171**, 187
Piccirillo, V.J. **171**, 3

Rappa, G. **171**, 201

Sargent, D. **171**, 3
Sato, M. **171**, 73
Schrenk, D. **171**, 137
Schumacher, U. **171**, 187
Sheets, L.P. **171**, 3
Soderlund, D.M. **171**, 3
Song, W. **171**, 117
Stevens, J.T. **171**, 3
Swanevelder, S. **171**, 161

Tohyama, C. **171**, 73

Valentiner, U. **171**, 187
Valentin-Severin, I. **171**, 207
Vessey, C.J. **171**, 161
Vorderstemann, B. **171**, 137

Wallace, K.B. **171**, 1
Webster, J.I. **171**, 137
Weiner, M.L. **171**, 3

Yonemoto, J. **171**, 73

Zöller, H. **171**, 137

PII: S0300-483X(02)00011-2

ELSEVIER

Toxicology 171 (2002) 225–227

TOXICOLOGY

www.elsevier.com/locate/toxicol

Subject index of volume 171

Adipocytes and liver; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; Oxidative enzymes; High fat diet **171**, 117

Aflatoxin B_1; Fumonisin B_1; Rat liver **171**, 161

Aflatoxin; Multidrug resistance protein 1; Glutathione; Carcinogenesis **171**, 201

Antibodies; Respiratory hypersensitivity; Guinea pigs; HDI–protein conjugate; Polyisocyanates **171**, 147

Antioxidant enzymes; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; Testis; Lipid peroxidation; Mitochondrial fractions; Microsomal fractions; Rat **171**, 127

Apoptosis; Di-(2-ethylhexyl) phthalate; Testicular atrophy; Apoptotic index; Zinc transporter; ZnT-1; Spermatogenic cells **171**, 105

Apoptosis; Fludarabine; Idarubicin; Chromosome aberrations; Normal human lymphocytes **171**, 215

Apoptosis; Phosphatidylserine exposure; Fluoresceinated annexin V; Propidium iodide; Necrosis; S-2-/3-aminopropylamino/ethyl phosphorothioic acid; Cyclophosphamide; Bone marrow cells; Flow cytometry **171**, 63

Apoptotic index; Di-(2-ethylhexyl) phthalate; Testicular atrophy; Apoptosis; Zinc transporter; ZnT-1; Spermatogenic cells **171**, 105

Biomonitoring; Styrene; Fiberglass-reinforced plastics; Sister-chromatid exchanges; Micronuclei; Comet assay **171**, 175

Bone marrow cells; Phosphatidylserine exposure; Fluoresceinated annexin V; Propidium iodide; Apoptosis; Necrosis; S-2-/3-aminopropylamino/ethyl phosphorothioic acid; Cyclophosphamide; Flow cytometry **171**, 63

Calcium channel; FQPA; Pyrethroids; Toxicity; Sodium channel; Chloride channel; Common mechanism **171**, 3

Carcinogenesis; Multidrug resistance protein 1; Aflatoxin; Glutathione **171**, 201

Chloride channel; FQPA; Pyrethroids; Toxicity; Sodium channel; Calcium channel; Common mechanism **171**, 3

Chromosome aberrations; Fludarabine; Idarubicin; Apoptosis; Normal human lymphocytes **171**, 215

Comet assay; Styrene; Fiberglass-reinforced plastics; Sister-chromatid exchanges; Micronuclei; Biomonitoring **171**, 175

Common mechanism; FQPA; Pyrethroids; Toxicity; Sodium channel; Calcium channel; Chloride channel **171**, 3

Cyclophosphamide; Phosphatidylserine exposure; Fluoresceinated annexin V; Propidium iodide; Apoptosis; Necrosis; S-2-/3-aminopropylamino/ethyl phosphorothioic acid; Bone marrow cells; Flow cytometry **171**, 63

Cytotoxicity; HepG2 cell line; Uridine uptake inhibition; Micromethod **171**, 207

Cytotoxicity; Multidrug resistance; Mistletoe lectin; Human colon cancer cell line HT 29; Lectin histochemistry **171**, 187

Dibromoacetic acid; Progesterone; Ovarian follicles **171**, 83

Di-(2-ethylhexyl) phthalate; Testicular atrophy; Apoptosis; Apoptotic index; Zinc transporter; ZnT-1; Spermatogenic cells **171**, 105

DNA damage; Potassium canrenoate; Rat tissues **171**, 95

Fiberglass-reinforced plastics; Styrene; Sister-chromatid exchanges; Micronuclei; Comet assay; Biomonitoring **171**, 175

Flow cytometry; Phosphatidylserine exposure; Fluoresceinated annexin V; Propidium iodide; Apoptosis; Necrosis; S-2-/3-aminopropylamino/ethyl phosphorothioic acid; Cyclophosphamide; Bone marrow cells **171**, 63

Fludarabine; Idarubicin; Chromosome aberrations; Apoptosis; Normal human lymphocytes **171**, 215

Fluoresceinated annexin V; Phosphatidylserine exposure; Propidium iodide; Apoptosis; Necrosis; S-2-/3-aminopropylamino/ethyl phosphorothioic acid; Cyclophosphamide; Bone marrow cells; Flow cytometry **171**, 63

PII: S0300-483X(02)00012-4

FQPA; Pyrethroids; Toxicity; Sodium channel; Calcium channel; Chloride channel; Common mechanism **171**, 3

Fumonisin B_1; Aflatoxin B_1; Rat liver **171**, 161

Gene expression; Multidrug resistance protein 1 (MRP1); Multidrug resistance protein 2 (MRP2); Induction **171**, 137

Glutathione; Multidrug resistance protein 1; Aflatoxin; Carcinogenesis **171**, 201

Guinea pigs; Respiratory hypersensitivity; HDI–protein conjugate; Polyisocyanates; Antibodies **171**, 147

HDI–protein conjugate; Respiratory hypersensitivity; Guinea pigs; Polyisocyanates; Antibodies **171**, 147

HepG2 cell line; Cytotoxicity; Uridine uptake inhibition; Micromethod **171**, 207

High fat diet; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; Oxidative enzymes; Adipocytes and liver **171**, 117

Human colon cancer cell line HT 29; Multidrug resistance; Mistletoe lectin; Cytotoxicity; Lectin histochemistry **171**, 187

Idarubicin; Fludarabine; Chromosome aberrations; Apoptosis; Normal human lymphocytes **171**, 215

Induction; Multidrug resistance protein 1 (MRP1); Multidrug resistance protein 2 (MRP2); Gene expression **171**, 137

Lectin histochemistry; Multidrug resistance; Mistletoe lectin; Cytotoxicity; Human colon cancer cell line HT 29 **171**, 187

Lipid peroxidation; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; Testis; Antioxidant enzymes; Mitochondrial fractions; Microsomal fractions; Rat **171**, 127

Micromethod; Cytotoxicity; HepG2 cell line; Uridine uptake inhibition **171**, 207

Micronuclei; Styrene; Fiberglass-reinforced plastics; Sister-chromatid exchanges; Comet assay; Biomonitoring **171**, 175

Microsomal fractions; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; Testis; Antioxidant enzymes; Lipid peroxidation; Mitochondrial fractions; Rat **171**, 127

Mistletoe lectin; Multidrug resistance; Cytotoxicity; Human colon cancer cell line HT 29; Lectin histochemistry **171**, 187

Mitochondrial fractions; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; Testis; Antioxidant enzymes; Lipid peroxidation; Microsomal fractions; Rat **171**, 127

Multidrug resistance; Mistletoe lectin; Cytotoxicity; Human colon cancer cell line HT 29; Lectin histochemistry **171**, 187

Multidrug resistance protein 1; Aflatoxin; Glutathione; Carcinogenesis **171**, 201

Multidrug resistance protein 2 (MRP2); Multidrug resistance protein 1 (MRP1); Gene expression; Induction **171**, 137

Multidrug resistance protein 1 (MRP1); Multidrug resistance protein 2 (MRP2); Gene expression; Induction **171**, 137

Necrosis; Phosphatidylserine exposure; Fluoresceinated annexin V; Propidium iodide; Apoptosis; S-2-/3-aminopropylamino/ethyl phosphorothioic acid; Cyclophosphamide; Bone marrow cells; Flow cytometry **171**, 63

Normal human lymphocytes; Fludarabine; Idarubicin; Chromosome aberrations; Apoptosis **171**, 215

Ovarian follicles; Dibromoacetic acid; Progesterone **171**, 83

Oxidative enzymes; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; Adipocytes and liver; High fat diet **171**, 117

Phosphatidylserine exposure; Fluoresceinated annexin V; Propidium iodide; Apoptosis; Necrosis; S-2-/3-aminopropylamino/ethyl phosphorothioic acid; Cyclophosphamide; Bone marrow cells; Flow cytometry **171**, 63

Polyisocyanates; Respiratory hypersensitivity; Guinea pigs; HDI–protein conjugate; Antibodies **171**, 147

Potassium canrenoate; Rat tissues; DNA damage **171**, 95

Progesterone; Dibromoacetic acid; Ovarian follicles **171**, 83

Propidium iodide; Phosphatidylserine exposure; Fluoresceinated annexin V; Apoptosis; Necrosis; S-2-/3-aminopropylamino/ethyl phosphorothioic acid; Cyclophosphamide; Bone marrow cells; Flow cytometry **171**, 63

Pyrethroids; FQPA; Toxicity; Sodium channel; Calcium channel; Chloride channel; Common mechanism **171**, 3

Rat liver; Fumonisin B_1; Aflatoxin B_1 **171**, 161

Rat; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; Testis; Antioxidant enzymes; Lipid peroxidation; Mitochondrial fractions; Microsomal fractions **171**, 127

Rat tissues; Potassium canrenoate; DNA damage **171**, 95

Respiratory hypersensitivity; Guinea pigs; HDI–protein conjugate; Polyisocyanates; Antibodies **171**, 147

S-2-/3-aminopropylamino/ethyl phosphorothioic acid; Phosphatidylserine exposure; Fluoresceinated annexin V; Propidium iodide; Apoptosis; Necrosis; Cyclophosphamide; Bone marrow cells; Flow cytometry **171**, 63

Sister-chromatid exchanges; Styrene; Fiberglass-reinforced plastics; Micronuclei; Comet assay; Biomonitoring **171**, 175

Sodium channel; FQPA; Pyrethroids; Toxicity; Calcium channel; Chloride channel; Common mechanism **171**, 3

Spermatogenic cells; Di-(2-ethylhexyl) phthalate; Testicular atrophy; Apoptosis; Apoptotic index; Zinc transporter; ZnT-1 **171**, 105

Styrene; Fiberglass-reinforced plastics; Sister-chromatid exchanges; Micronuclei; Comet assay; Biomonitoring **171**, 175

Testicular atrophy; Di-(2-ethylhexyl) phthalate; Apoptosis; Apoptotic index; Zinc transporter; ZnT-1; Spermatogenic cells **171**, 105

Testis; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; Antioxidant enzymes; Lipid peroxidation; Mitochondrial fractions; Microsomal fractions; Rat **171**, 127

2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; Oxidative enzymes; Adipocytes and liver; High fat diet **171**, 117

2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; Testis; Antioxidant enzymes; Lipid peroxidation; Mitochondrial fractions; Microsomal fractions; Rat **171**, 127

2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; Thyroid; Thyroid stimulating hormone; Thyroxin; UDP-glucuronosyltransferase-1 **171**, 73

Thyroid stimulating hormone; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; Thyroid; Thyroxin; UDP-glucuronosyltransferase-1 **171**, 73

Thyroid; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; Thyroid stimulating hormone; Thyroxin; UDP-glucuronosyltransferase-1 **171**, 73

Thyroxin; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; Thyroid; Thyroid stimulating hormone; UDP-glucuronosyltransferase-1 **171**, 73

Toxicity; FQPA; Pyrethroids; Sodium channel; Calcium channel; Chloride channel; Common mechanism **171**, 3

UDP-glucuronosyltransferase-1; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; Thyroid; Thyroid stimulating hormone; Thyroxin **171**, 73

Uridine uptake inhibition; Cytotoxicity; HepG2 cell line; Micromethod **171**, 207

Zinc transporter; Di-(2-ethylhexyl) phthalate; Testicular atrophy; Apoptosis; Apoptotic index; ZnT-1; Spermatogenic cells **171**, 105

ZnT-1; Di-(2-ethylhexyl) phthalate; Testicular atrophy; Apoptosis; Apoptotic index; Zinc transporter; Spermatogenic cells **171**, 105